


EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(717/12?.ccls. or 717/13?.ccls.) and debug\$4 and ((watch or display) near5 (pane or view or window)) and (evaluat\$3 near3 (expression or string or token or message or keyword or format\$4)) and (array or vector or tuple or "list of")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:48
L2	38	(717/12?.ccls. or 717/13?.ccls.) and debug\$4 and ((watch or display) near5 (pane or view or window)) and (evaluat\$3 near3 (expression or string or token or message or keyword or format\$4)) and (array or vector or tuple or "list of")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/01/04 13:48
L3	6	debug\$4 and (display near5 window) same (evaluat\$3 near3 (expression or string or token or message or keyword or format\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:48
L4	8	debug\$4 and (display near5 window) same (evaluat\$3 near3 (expression or string or token or message or keyword or format\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/01/04 13:48
L5	139	debug\$4 and ((watch or display) near5 (pane or view or window)) and (evaluat\$3 near3 (expression or string or token or message or keyword or format\$4)) and (array or vector or tuple or "list of") and (evaluat\$4 near3 expression) and language and (object or field or property or type or member or attribute)and (hide or hidden or ("do not" adj (show or display)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/01/04 13:48
L6	239	((developer or user or programmer) with customiz\$5) SAME DEBUG\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:48
L7	318	(717/125).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:49
L8	6	debug\$4 and (display near5 window) same (evaluat\$3 near3 (expression or string or token or message or keyword or format\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:49
L9	2	("6493868").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:50

EAST Search History

L10	361	(717/126).CCLS.	US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:51
L11	1180	(717/125,105,109,113).CCLS.	US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	OFF	2008/01/04 13:51


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 18,000 for **debugger AND attribute del**

All Results

[P Dewan](#)

[R Olsson](#)

[R Choudhary](#)

[P Bates](#)

[A Demers](#)

Tip: Click to get a definition of: [debugger](#) [attribute](#)
 Or just click on the underlined words in the above colored bar

[Method and apparatus for statement level debugging of a computer program - all 3 versions »](#)

P Kimelman - US Patent 5,446,900, 1995 - Google Patents
 ... FIG. 4i illustrates the organization of an **attribute** systems. The ... The column
 ment of application software is "**debugging**". **Debug**- reference ...
[Cited by 32](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] A Dataflow Approach to Event-based Debugging - all 9 versions »](#)

RA Olsson, RH Cawford, WW Ho - Software - Practice and Experience, 1991 -
 citeseer.csail.mit.edu
 ... convenience variables are global; in **DEBUG**, they are ... and variables reside within
 the **debugger's** address ... Any number of dynamically-typed **attributes** can be ...
[Cited by 45](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[An approach to high-level debugging of distributed systems: preliminary draft - all 2 versions »](#)

P Bates, JC Wileden - Proceedings of the ACM SIGSOFT/SIGPLAN software engineering ...,
 1983 - portal.acm.org
 ... Relations among **attributes** of different events will tend ... enhancements to the
debugging
 syste,c, incorporating knowledge ... distributed systems and how to **debug** them ...
[Cited by 30](#) - [Related Articles](#) - [Web Search](#)

[Animating work and time for debugging parallel programs foundation and experience](#)

D Zernik, L Rudolph - Proceedings of the 1991 ACM/ONR workshop on Parallel and ..., 1991
 - portal.acm.org
 ... itoring system [3], which is the Makbilau visual **debug**- ... of the **debugging** process,
 Almost all pieces of our ... The work **attribute** is associated with the nsnal enti ...
[Cited by 23](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] Aspectwerkz—dynamic AOP for java - all 4 versions »](#)

J Boner - Proceeding of the 3rd International Conference on Aspect- ..., 2004 - daimi.au.dk
 ... infrastructure needed to build end-user **debugger** applications ... JVM to start up in
debug mode (with ... See the 'Runtime **attribute definition** model' section for a ...
[Cited by 19](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Attribute grammar based programming and its environment - all 2 versions »](#)

Y Shinoda, T Katayama - System Sciences, 1988. Vol. II. Software Track, Proceedings ...,
 1988 - ieeexplore.ieee.org
 ... Each decomposition of module M into sub-modules M=M_i,...,M_k, is associated with

a set of **attribute** relation **definition** D, defining: 1. how input **attributes** of ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

Systematic debugging method for **attribute** grammar description - all 4 versions »

M Sassa, T Ookubo - Information Processing Letters, 1997 - Elsevier

... we devised a method of efficient **debug**-ging, incorporating this kind of information into algo- rithmic **debugging**. ... 1 We say that an **attribute** value is valid ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Using Domain-Specific Languages for the Realization of Component Composition - all 7 versions »

M Anlauff, PW Kutter, A Pierantonio, A Siinbiil - Fundamental Approaches to Software Engineering: Third ..., 2000 - books.google.com

... As one can see there, the **attributes** of the ... hand to allow the designer to 'debug'her/his ... from the description, including visualization and **debugging** facilities ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

Flexible user interface coupling in a collaborative system

P Dewan, R Choudhard - Proceedings of the SIGCHI conference on Human factors in ..., 1991 - portal.acm.org

... For instance, a multi-user **debugger** may wish to display the same image of a ... each data structure displayed in an object window with the **attribute** Va lueCoupled ...


[Cited by 116](#) - [Related Articles](#) - [Web Search](#)

Coordinating Software Development Tools with Indra - all 16 versions »

F Boyer - 7th Conference on Software Engineering Environments (SEE'95 ... - doi.ieeecomputersociety.org

... IN file-name:String); ask-**debug** (IN file-na ... EXAMPLE COORDINATIONJ4ODULE OF guide-**debugger** COORDINATIONSTATE state ... 6The name **attribute** is particular because ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

Google 

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

debugger AND attribute definition

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 7,610 for **debugger AND attributes**. (0.

All Results

[K Tai](#)
[R Carver](#)
[E Obaid](#)
[S Mukherjea](#)
[M Harandi](#)

[JAVAVIS: Automatic Program Visualization with Object and Sequence Diagrams Using the Java Debug ... - all 6 versions »](#)

R Oechsle, T Schmitt - ... : International Seminar, Dagstuhl Castle, Germany, May 20-25 ..., 2002 - [books.google.com](#)

... is suspended, all kinds of state information can be read by the **debugger**. ... classes are mainly classes for graphic elements and classes for **attribute** transitions ...

[Cited by 44](#) - [Related Articles](#) - [Web Search](#)

[Coca: an automated **debugger** for C - all 3 versions »](#)

M Ducassé - Proceedings of the 21st international conference on Software ..., 1999 - [portal.acm.org](#)

... ABSTRACT We present Coca, an automated **debugger** for C, where the breakpoint mechanism ...

which events they want to see by specifying values for event **attributes**. ...

[Cited by 58](#) - [Related Articles](#) - [Web Search](#)

[Debugging concurrent Ada programs by deterministic execution - all 9 versions »](#)

KC Tai, RH Carver, EE Obaid - IEEE Transactions on Software Engineering, 1991 - [doi.ieeecs.org](#)

... Section VI illustrates deterministic execution **debugging** of two concurrent Ada programs.

...

the real-time clock and a task's CALLABLE and TERMINATED **attributes**. ...

[Cited by 121](#) - [Related Articles](#) - [Web Search](#)

[PDF] [A Dataflow Approach to Event-based Debugging - all 9 versions »](#)

RA Olsson, RH Cawford, WW Ho - Software - Practice and Experience, 1991 - [citeseer.csail.mit.edu](#)

... The Dalek code and variables reside within the **debugger**'s address space. ... Any number of dynamically-typed **attributes** can be associated with each event. ...

[Cited by 45](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Some requirements for architectural support of software debugging](#)

MS Johnson - ACM SIGARCH Computer Architecture News, 1982 - [portal.acm.org](#)

... and the computer architect's view of architectural features or **attributes** that implement ... The paper is written from the viewpoint of **debugger** implementors, and ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

[Debugging with the MAD environment - all 7 versions »](#)

D Kranzlmüller, S Grabner, J Volkert - Parallel Computing, 1997 - Elsevier

... 30]. The data associated with events and containing the necessary information for the **debugger**, are event **attributes**. Such **attributes** ...

[Cited by 44](#) - [Related Articles](#) - [Web Search](#)

[Graphical system and method for debugging computer programs - all 4](#)

[versions »](#)

GM Leask, DL Huffman - US Patent 6,412,106, 2002 - Google Patents

... CREATION/REMOVAL OF **DEBUG** TOOL OR CHANGES **DEBUG** TOOL ATTRIBUTES I
MESSAGE SENT TO

DEBUG ... 802 - 804 - 810- MODIFY ATTRIBUTES FOR **DEBUG** TOOL IN DICTIONARY
FIG. 8 ...

[Cited by 18](#) - [Related Articles](#) - [Web Search](#)

[Applying algorithm animation techniques for program tracing, debugging, and
understanding - all 3 versions »](#)

S Mukherjea, JT Stasko - Proceedings of the 15th international conference on Software ...,
1997 - portal.acm.org

... bet ween sessions, so that program **debugging** can be resumed at a later time using
the same anima- tion context. 459 Page 5. Object **Attribute** Specification(s) ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#)

[How to look busy while being as lazy as ever: the Implementation of a lazy
functional **debugger** - all 6 versions »](#)

H NILSSON - Journal of Functional Programming, 2001 - journals.cambridge.org

... All **attributes** are eventually embedded in the generated assembler code in the form ...
each function, making it easy to access the information from the **debugger**. ...

[Cited by 21](#) - [Related Articles](#) - [Web Search](#)

[Animating work and time for debugging parallel programs foundation and
experience](#)

D Zernik, L Rudolph - Proceedings of the 1991 ACM/ONR workshop on Parallel and ..., 1991
- portal.acm.org

... of the **debugging** process, Almost all pieces of our system can be found in ... Moreover,
the work **attribute** when associated with various ol>jects in the execntion ...

[Cited by 23](#) - [Related Articles](#) - [Web Search](#)

Google ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

debugger AND attributes

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google